Brain Research, 616 (1993) 357–359
Elsevier Science Publishers B.V.

Author Index

Abi-Dargham, A., Laruelle, M., Lipska, B., Jaskiw, G.E., Wong, D.T., Robertson, D.W., Weinberger, D.R. and Kleinman, J.E.
Serotonin 5-HT_3 receptors in schizophrenia: a postmortem study of the amygdala (616) 53
Abrams, T.W., see Jarrard, H.E. (616) 188
Aguilera, G., see Hauger, R.L. (616) 283
Ahlgren, S.C. and Levine, J.D.
Mechanical hyperalgesia in streptozotocin-diabetic rats is not sympathetically maintained (616) 171
Ammermüller, J., Möckel, W. and Rujan, P.
A geometrical description of horizontal cell networks in the turtle retina (616) 351

Bíró, É., see Sarnyai, Z. (616) 315
Blessing, W.W., see Gieroba, Z.J. (616) 181
Boulanger, L., Lazure, C., Lefrançois, L. and Gaudreau, P.
Proteolytic degradation of rat growth hormone-releasing factor (1-29) amide in rat pituitary and hypothalamus (616) 39
Bradley, R.M., see Wang, L. (616) 144
Brown, M.R., see Hauger, R.L. (616) 283
Bugiani, O., see Tagliavini, F. (616) 325

Cagiano, R., see Di Giovanni, V. (616) 126
Castello, M.E., see Dajas, F. (616) 1
Chen, B., see Kocsis, J.D. (616) 273
Clark, F.M. and Proudfit, H.K.
The projections of noradrenergic neurons in the A5 catecholamine cell group to the spinal cord in the rat:. anatomical evidence that A5 neurons modulate nociception (616) 200
Corcoran, M.E., see Kirkby, R.D. (616) 17
Costa, G., see Dajas, F. (616) 1
Crompton, M.R., see Holemans, S. (616) 138
Cuomo, V., see Di Giovanni, V. (616) 126

Dajas, F., Silveira, R., Costa, G., Castello, M.E., Jerusalinsky, D., Medina, J., Levesque, D. and Greenfield, S.
Differential cholinergic and non-cholinergic actions of acetylcholinesterase in the substantia nigra revealed by fasciculin-induced inhibition (616) 1
Davis, B.J. and Kream, R.M.
Distribution of tachykinin- and opioid-expressing neurons in the hamster solitary nucleus: an immuno- and in situ hybridization histochemical study (616) 6
De Beaurepaire, R., see Sellami, S. (616) 307
Demura, H., see Imaki, T. (616) 114
De Paermentier, F., see Holemans, S. (616) 138
De Salvia, M.A., see Di Giovanni, V. (616) 126
Dewar, D., see Ikeda, M. (616) 211
Dhabhar, F.S., McEwen, B.S. and Spencer, R.L.
Stress response, adrenal steroid receptor levels and corticosteroid-binding globulin levels – a comparison between Sprague–Dawley, Fischer 344 and Lewis rats (616) 89
Di Giovanni, V., Cagiano, R., De Salvia, M.A., Giustino, A., Lacomba, C., Renna, G. and Cuomo, V.
Neurobehavioral changes produced in rats by prenatal exposure to carbon monoxide (616) 126
Dobie, D.J., Merchant, K.M., Hamblin, M.W., Vatassery, G.T., Dysken, M.W. and Dorsa, D.M.
Blunting of the neurotensin mRNA response to haloperidol in the striatum of aging rats: possible relationship to decline in dopamine D2 receptor expression (616) 105
Dorn, T. and Witte, O.W.
Separation of different interictal discharge patterns in acute experimentally induced epileptic foci of the rat in vivo (616) 303
Dorsa, D.M., see Dobie, D.J. (616) 105
Dutar, P., see Potier, B. (616) 236
Dysken, M.W., see Dobie, D.J. (616) 105

Erichsen, J.T., see Petry, H.M. (616) 344

Farlow, M.R., see Tagliavini, F. (616) 325
Fern, R. and Harrison, P.J.
The variation in safety factor with myelinated axon diameter: experiments with low sodium perfusion (616) 48
Frangione, B., see Tagliavini, F. (616) 325

Gardi, J., see Sarnyai, Z. (616) 315
Gaudreau, P., see Boulanger, L. (616) 39
Ghetti, B., see Tagliavini, F. (616) 325
Giaccone, G., see Tagliavini, F. (616) 325
Gieroba, Z.J. and Blessing, W.W.
Abdominal vagal afferents excite A1 area neurons antidromically activated from the region of the supraoptic nucleus in the rabbit (616) 181
Gilbert, T.H., see Kirkby, R.D. (616) 17
Giustino, A., see Di Giovanni, V. (616) 126
Glowa, J., see Oviedo, A. (616) 293
Gochin, P.M., see Miller, E.K. (616) 25
Goldberg, S.R., see Heidbreder, C.A. (616) 335
Goldsmith, B.A., see Jarrard, H.E. (616) 188
Goodman, J.H. and Sloviter, R.S.
Cocaine neurotoxicity and altered neuropeptide Y immunoreactivity in the rat hippocampus; a silver degeneration and immunocytochemical study (616) 263
Goto, S., see Korematsu, K. (616) 320
Gratton, A., see Rompré, P.-P. (616) 154
Greenfield, S., see Dajas, F. (616) 1
Gross, C.G., see Miller, E.K. (616) 25

Hamblin, M.W., see Dobie, D.J. (616) 105
Harrison, P.J., see Fern, R. (616) 48
Hattori, K., see Shikimi, T. (616) 230
Hauger, R.L., Irwin, M.R., Lorang, M., Aguilera, G. and Brown, M.R.
High intracerebral levels of CRH result in CRH receptor downregulation in the amygdala and neuroimmune desensitization (616) 283
Heidbreder, C.A., Goldberg, S.R. and Shippenberg, T.S.
The kappa-opioid receptor agonist U-69593 attenuates cocaine-induced behavioral sensitization in the rat (616) 335
Herkenham, M., see Oviedo, A. (616) 293
Herreras, O. and Jing, J.
Blockade of antidromic invasion of CA1 pyramidal cells during synaptic activation of NMDA receptors (616) 330
Holemans, S., De Paermentier, F., Horton, R.W., Crompton, M.R., Katona, C.L.E. and Maloteaux, J.-M.
NMDA glutamatergic receptors, labelled with [^{3}H]MK-801, in brain samples from drug-free depressed suicides (616) 138
Horton, R.W., see Holemans, S. (616) 138
Hotta, M., see Imaki, T. (616) 114
Huntley, G.W., see Rappaport, M.S. (616) 242
Hurlbut, D.E., see Lutfy, K. (616) 83

Ikeda, M., Mackay, K.B., Dewar, D. and McCulloch, J.
Differential alterations in adenosine A_1 and κ_1 opioid receptors in the striatum in Alzheimer's disease (616) 211
Imaki, T., Shibasaki, T., Hotta, M. and Demura, H.
Intracerebroventricular administration of corticotropin-releasing factor induces *c-fos* mRNA expression in brain regions related to stress responses: comparison with pattern of *c-fos* mRNA induction after stress (616) 114
Irwin, M.R., see Hauger, R.L. (616) 283
Ishikawa, K., see Kubo, T. (616) 311

Jarrard, H.E., Goldsmith, B.A. and Abrams, T.W.
In *Aplysia* sensory neurons, the neuropeptide SCP_B and serotonin differ in efficacy both in modulating cellular properties and in activating adenylyl cyclase: implications for mechanisms underlying presynaptic facilitation (616) 188
Jaskiw, G.E., see Abi-Dargham, A. (616) 53
Jerusalinsky, D., see Dajas, F. (616) 1
Jing, J., see Herreras, O. (616) 330
Joh, T.H., see Shikimi, T. (616) 230
Julesz, J., see Sarnyai, Z. (616) 315

Kaneto, H., see Shikimi, T. (616) 230
Katona, C.L.E., see Holemans, S. (616) 138
Katz, M.J., see Lasek, R.J. (616) 58
Kirkby, R.D., Gilbert, T.H. and Corcoran, M.E.
Kindling antagonism: mapping of susceptible sites (616) 17
Kleinman, J.E., see Abi-Dargham, A. (616) 53
Kocsis, J.D., Rand, M.N., Chen, B., Waxman, S.G. and Pourcho, R.
Kainate elicits elevated nuclear calcium signals in retinal neurons via calcium-induced calcium release (616) 273
Kohira, R., see Kubo, T. (616) 311
Korematsu, K., Goto, S., Nagahiro, S. and Ushio, Y.
Changes of immunoreactivity for synaptophysin ('protein p38') following a transient cerebral ischemia in the rat striatum (616) 320
Kream, R.M., see Davis, B.J. (616) 6
Kubo, T., Kohira, R., Okano, T. and Ishikawa, K.
Neonatal glutamate can destroy the hippocampal CA1 structure and impair discrimination learning in rats (616) 311

Lacomba, C., see Di Giovanni, V. (616) 126
Lamour, Y., see Potier, B. (616) 236
Laruelle, M., see Abi-Dargham, A. (616) 53
Lasek, R.J., Paggi, P. and Katz, M.J.
The maximum rate of neurofilament transport in axons: a view of molecular transport mechanisms continuously engaged (616) 58
Lazure, C., see Boulanger, L. (616) 39
Lefrançois, L., see Boulanger, L. (616) 39
Levesque, D., see Dajas, F. (616) 1
Levine, J.D., see Ahlgren, S.C. (616) 171
Levy, M. and Susswein, A.J.
Separate neural pathways respond to different noxious stimuli affecting respiratory pump frequency in *Aplysia fasciata* (616) 218
Lipska, B., see Abi-Dargham, A. (616) 53
Loewy, A.D., see Schramm, L.P. (616) 251
Lorang, M., see Hauger, R.L. (616) 283
Luine, V.N., Spencer, R.L. and McEwen, B.S.
Effects of chronic corticosterone ingestion on spatial memory performance and hippocampal serotonergic function (616) 65
Lutfy, K., Hurlbut, D.E. and Weber, E.
Blockade of morphine-induced analgesia and tolerance in mice by MK-801 (616) 83

Mackay, K.B., see Ikeda, M. (616) 211
Maki, B.E., see McIlroy, W.E. (616) 30
Maloteaux, J.-M., see Holemans, S. (616) 138
McCulloch, J., see Ikeda, M. (616) 211
McEwen, B.S., see Dhabhar, F.S. (616) 89
McEwen, B.S., see Luine, V.N. (616) 65
McGonigle, P., see Munir, M. (616) 163
McIlroy, W.E. and Maki, B.E.
Task constraints on foot movement and the incidence of compensatory stepping following perturbation of upright stance (616) 30
Medina, J., see Dajas, F. (616) 1
Merchant, K.M., see Dobie, D.J. (616) 105
Miller, E.K., Gochin, P.M. and Gross, C.G.
Suppression of visual responses of neurons in inferior temporal cortex of the awake macaque by addition of a second stimulus (616) 25
Miller, K.G., Wendland, B. and Scheller, R.H.
Identification of a 34 kDa protein specific to synaptic vesicles (616) 99
Möckel, W., see Ammermüller, J. (616) 351
Morrison, J.H., see Rappaport, M.S. (616) 242
Morys, J., Narkiewicz, O. and Wisniewski, H.M.
Neuronal loss in the human claustrum following ulegyria (616) 176
Munir, M., Subramaniam, S. and McGonigle, P.
Polyamines modulate the neurotoxic effects of NMDA in vivo (616) 163

Nagahiro, S., see Korematsu, K. (616) 320
Narkiewicz, O., see Morys, J. (616) 176

Okano, T., see Kubo, T. (616) 311
Oviedo, A., Glowa, J. and Herkenham, M.
Chronic cannabinoid administration alters cannabinoid receptor binding in rat brain: a quantitative autoradiographic study (616) 293

Paggi, P., see Lasek, R.J. (616) 58
Petry, H.M., Erichsen, J.T. and Szél, Á.
Immunocytochemical identification of photoreceptor populations in the tree shrew retina (616) 344
Platt, K.B., see Schramm, L.P. (616) 251
Porro, M., see Tagliavini, F. (616) 325
Potier, B., Dutar, P. and Lamour, Y.
Different effects of ω-conotoxin GVIA at excitatory and inhibitory synapses in rat CA1 hippocampal neurons (616) 236
Pourcho, R., see Kocsis, J.D. (616) 273
Prelli, F., see Tagliavini, F. (616) 325
Prikhozhan, A., see Rappaport, M.S. (616) 242
Proudfit, H.K., see Clark, F.M. (616) 200

Rand, M.N., see Kocsis, J.D. (616) 273
Rappaport, M.S., Sealfon, S.C., Prikhozhan, A., Huntley, G.W. and Morrison, J.H.
Heterogeneous distribution of D_1, D_2 and D_5 receptor mRNAs in monkey striatum (616) 242
Rebec, G.V., see White, I.M. (616) 71
Reimer, K.
Simultaneous demonstration of Fos-like immunoreactivity and 2-deoxy-glucose uptake in the inferior colliculus of the mouse (616) 339
Renna, G., see Di Giovanni, V. (616) 126
Robertson, D.W., see Abi-Dargham, A. (616) 53
Rompré, P.-P. and Gratton, A.
Mesencephalic microinjections of neurotensin-(1–13) and its C-terminal fragment, neurotensin-(8–13), potentiate brain stimulation reward (616) 154
Rujan, P., see Ammermüller, J. (616) 351

Sarnyai, Z., Bíró, É., Gardi, J., Vecsernyés, M., Julesz, J. and Telegdy, G.
Alterations of corticotropin-releasing factor-like immunoreactivity in different brain regions after acute cocaine administration in rats (616) 315
Scheller, R.H., see Miller, K.G. (616) 99
Schoonover, F.W., see Slotnick, B.M. (616) 132
Schramm, L.P., Strack, A.M., Platt, K.B. and Loewy, A.D.
Peripheral and central pathways regulating the kidney: a study using pseudorabies virus (616) 251
Sealfon, S.C., see Rappaport, M.S. (616) 242
Sellami, S. and De Beaurepaire, R.
Medial diencephalic sites involved in calcitonin-induced hyperthermia and analgesia (616) 307
Shibasaki, T., see Imaki, T. (616) 114
Shikimi, T., Wessel, T., Joh, T.H., Takahashi, M., Kaneto, H., Hattori, K. and Takaori, S.
Demonstration of a human urinary trypsin inhibitor (urinastatin)-like substance in the murine brain (616) 230
Shippenberg, T.S., see Heidbreder, C.A. (616) 335
Silveira, R., see Dajas, F. (616) 1
Slotnick, B.M. and Schoonover, F.W.
Olfactory sensitivity of rats with transection of the lateral olfactory tract (616) 132
Sloviter, R.S., see Goodman, J.H. (616) 263
Spencer, R.L., see Dhabhar, F.S. (616) 89
Spencer, R.L., see Luine, V.N. (616) 65
Strack, A.M., see Schramm, L.P. (616) 251
Subramaniam, S., see Munir, M. (616) 163
Susswein, A.J., see Levy, M. (616) 218
Szél, Á., see Petry, H.M. (616) 344

Tagliavini, F., Giaccone, G., Prelli, F., Verga, L., Porro, M., Trojanowski, J.Q., Farlow, M.R., Frangione, B., Ghetti, B. and Bugiani, O.
A68 is a component of paired helical filaments of Gerstmann–Sträussler–Scheinker disease, Indiana kindred (616) 325
Takahashi, M., see Shikimi, T. (616) 230
Takaori, S., see Shikimi, T. (616) 230
Telegdy, G., see Sarnyai, Z. (616) 315
Trojanowski, J.Q., see Tagliavini, F. (616) 325

Ushio, Y., see Korematsu, K. (616) 320

Vatassery, G.T., see Dobie, D.J. (616) 105
Vecsernyés, M., see Sarnyai, Z. (616) 315

Verga, L., see Tagliavini, F. (616) 325

Wang, L. and Bradley, R.M.
Influence of GABA on neurons of the gustatory zone of the rat nucleus of the solitary tract (616) 144
Waxman, S.G., see Kocsis, J.D. (616) 273
Weber, E., see Lutfy, K. (616) 83
Weinberger, D.R., see Abi-Dargham, A. (616) 53
Wendland, B., see Miller, K.G. (616) 99
Wessel, T., see Shikimi, T. (616) 230
White, I.M. and Rebec, G.V.
Responses of rat striatal neurons during performance of a lever-release version of the conditioned avoidance response task (616) 71
Wisniewski, H.M., see Morys, J. (616) 176
Witte, O.W., see Dorn, T. (616) 303
Wong, D.T., see Abi-Dargham, A. (616) 53